
OPTICLUX
LED MAGNIFIER LUMINAIRE



reddot award 2018
winner



TELEHEALTH PARTNER



Organic design. Outstanding quality of light.

The new OPTICLUX Hand magnifier luminaire is soon to be one of the medical practitioner's most valuable devices. Designed with first-rate performance and ergonomic comfort in mind, OPTICLUX Hand offers excellent color rendering properties, a large daylight quality light field, as well as stepless dimming at your fingertips. In addition, the powerful Wood's light feature is ideal for veterinary or any dermatological task. Controls are easily accessible and a long battery life makes this a maintenance-free, dependable tool of the trade.



OPTICLUX Hand HAND-HELD VERSION WITH ERGONOMIC HANDLE



WOOD'S
LIGHT



Ergonomic

Optimal handling for right- and left-handers



Easy to handle

Keypad on the handle with stepless dimming controls



Outstanding light

Unique light output with 8 000 lx at 0.15 m for a true-to-life color rendering



suitable for
Laboratories, medical
practices, clinics, etc.

**APPROVED
MEDICAL DEVICE**

compliant with
EN 60601-1

WARRANTY

5 YEARS

FOR ALL ELECTRICAL
COMPONENTS

★★★★★



Battery powered

Up to 3 hours runtime, convenient charging through USB-C port



Especially for dermatology *

Two lighting modes in one device:
optional Wood's light for examining skin variations, lesions and pigment changes



Optimally protected

High quality felt cover protects the lens from scratches and sun exposure

*Depending on version

Your working comfort is our mission.

OPTICLUX has everything a modern magnifier luminaire is meant to have: a robust magnifier with 1.9x magnification, the latest LED modules, ergonomically tested arm joints and intuitive operation. OPTICLUX's biggest plus is its daylight-quality light field, its outstanding color rendering properties and its maintenance-free life cycle. As an approved medical device, it can be versatilely used in dermatology, human medicine, dentistry and veterinary medicine, in laboratories and for monitoring sterilized products.

OPTICLUX WITH SUPPORT ARM SYSTEM



Ergonomic handling

Spring balanced arm and friction joints allow smooth handling without the luminaire head sinking



Long service life

Premium scratch-resistant plastic lens and precision components ensure strong durability



Flexible positioning

Long luminaire arm allows a broad reach up to 142 cm radius





suitable for
Laboratories, medical
practices, clinics, etc.

**APPROVED
MEDICAL DEVICE**

compliant with
EN 60601-1



**reddot award 2018
winner**



Excellent light field

Due to large magnifier diameter (\varnothing 160 mm, 3.5 dpt) and strong, dimmable illumination (6 000 lx at 0.15 m)



Reliable color rendering

Very good 6 500 K LEDs ensure less shadow formation and optimal color rendering



Special for dermatology *

Two lighting modes in one device: optional Wood's light for examining fluorescent lesions and pigment changes

*Depending on version






OPTICLUX with Wood's light.

The special model variant for dermatologists, veterinarians and forensic medicine combines two lighting modes in one device: daylight white illumination and Wood's light. This means that different examinations can be performed with just one light. Other Wood's luminaires require the room to be completely darkened. Thanks to powerful BLB LEDs, the Opticlux doesn't need this. That means more time for the patient.

For radiation of certain dermatomycoses to obtain diagnostic indications based on the fluorescence that occurs:


- ERYTHRASMA (red fluorescence)
- MICROSPORIA (weak green fluorescence)
- FAVUS (bilious green fluorescence)
- TRICHOBACTERIOSIS AXILLARIS (yellow ochre colored fluorescence)
- PITYRIASIS VERSICOLOR (yellow ochre colored fluorescence)
- TUBEROUS SCHLEROSIS (blue-white fluorescence versus normal skin)
- VITILIGO (blue-white fluorescence of depigmented areas)
- SCABIES (gray-white mite tracks)

Also for fluorescence diagnostics (FD) for in-vivo diagnostics of dysplastic tissues and surface tumors in connection with local or systemically applied pigment, such as PPIX or 5-ALA.



**LED light
& dimming**

Skin under daylight-simulating
LED light



**Wood's light
(365 nm)**

Accurate diagnosis: Skin changes appear differently under Wood's light,
such as favus, types of intertrigo or erythrasma

ONE MAGNIFIER LUMINAIRE. MANY APPLICATIONS.



Dermatologists

Optimal examination conditions:

- Large magnifier diameter
- Ergonomic handling
- Very good color rendering

The Wood's light version is recommended for optimal diagnosis of skin diseases.



Hospitals, outpatient clinics and practices

Other uses:

- Ideal magnification for inspecting sterilized goods
- Approved medical device for examinations
- Minor treatments
- Outstanding light quality and color rendering properties



Veterinarians

Free hand:

- Flexible mounting on ceiling, wall or roller stand
- Large light field
- Optimal magnification for examination and treatment of various animals

The Wood's light version is recommended for optimal diagnosis of skin diseases.



Dental technicians

Outstanding lighting properties:

- Step-free dimming
- 3.5-dpt magnification
- Excellent color authenticity



Laboratories

Details at a glance:

- Daylight-white LED light with 1.9x magnification
- Very homogeneous light field
- Precise, stable positioning with no risk of the luminaire sinking



Quality control

Detect subtleties:

- Very bright, dimmable light with optimal color rendering
- Large magnifier diameter
- Distortion-free magnification supports systematic quality control



What do the CRI values mean?



CRI = 100



CRI = 95

OPTICLUX

CRI 100 =
Full representation of the color spectrum



What do the color rendering properties mean?

In medicine, the red test color R9 plays a crucial role, because differentiation of various red tones in tissues and blood is especially important.

R13 is the "skin tone" test color and is generally very important in skin treatments (for better recognition of veins and blood vessels), especially in medical practice and cosmetics.

Test color R9



negative



positive

Test color R13



negative



positive

TECHNICAL DATA



www.derungslicht.com/opticlux

OPTICLUX with arm system

- Color temperature daylight white 6,500 K *
- Scratch-resistant plastic lens with 3.5 diopters
- Color rendering properties CRI = 95
- Homogeneous and bright light field * (6,000 lx at 0.15 m)
- Continuously dimmable
- Universal fastening
- High quality, durable components
- Optionally with Wood's light: Maximum value at 365 nm
- Maintenance-free



ceiling version



version with pin for versatile mounting



www.derungslicht.com/opticlux-hand

OPTICLUX Hand

Hand-held magnifier luminaire

- Color temperature daylight white 6,500 K *
- Scratch-resistant plastic lens with 3.5 diopters
- Color rendering properties CRI = 95
- Homogeneous and very bright light field * (8,000 lx at 0.15 m)
- Continuously dimmable
- Optionally with Wood's light: Maximum value at 365 nm
- USB-C interface
- 3 hours of battery life
- Maintenance-free
- Including high quality felt case



Hand-held
magnifier luminaire

Illumination intensity
* -10% / +20% tolerance

ACCESSORIES

Custom-fit lens cover

included with every delivery

Application:
easy fixation on arm system,
thanks to click function



ROLLER STAND RL

Material	Steel
Composition	<ul style="list-style-type: none"> – Tube: white – Base: plastic – Casters: plastic double casters, with 5 brakes
Dimensions	1.0 m; Ø 700 mm
Weight (net)	7.5 kg
for pin Ø	16 mm with removal guard and cable suspension device
Order number	D15.595.000-00656247

EXTENSION ARM

Material	Powder-coated steel / steel pipe
Dimensions	400 m, Ø 16 cm
Weight (net)	approx. 0.65 kg
for pin Ø	16 mm with removal protection
Capacity	2.5 kg
Order number	D13.363.000-00647314 pure white



RAIL MOUNTING

Material	Aluminum
Wall rail system	25-35 x 8-10 mm
Order number	D13.269.000-007069

TABLE CLAMP

Material	Polyamide steel
Order number	D14.228.000-00625467 black

WALL BRACKET

Material	Polyamide GF
Order number	D13.231.000-00522182 pure white

HEADQUARTERS GERMANY

Herbert Waldmann GmbH & Co. KG
Peter-Henlein-Straße 5
78056 VILLINGEN-SCHWENNINGEN
GERMANY
Telephone +49 7720 601-0
Telephone +49 7720 601-100 (Sales)
Fax +49 7720 601-290
www.waldmann.com
sales.germany@waldmann.com

FRANCE

Waldmann Eclairage S.A.S.
Zone Industrielle
Rue de l'Embranchement
67116 REICHSTETT
FRANCE
Telephone +33 3 88 20 95 88
Fax +33 3 88 20 95 68
www.waldmann.com
info-fr@waldmann.com

ITALY

Waldmann Illuminotecnica S.r.l.
Via della Pace, 18 A
20098 SAN GIULIANO MILANESE (MI)
ITALY
Telephone +39 02 98 24 90 24
Fax +39 02 98 24 63 78
www.waldmann.com
info-it@waldmann.com

THE NETHERLANDS

Waldmann B.V.
Lingewei 19
4004 LK TIEL
THE NETHERLANDS
Telephone +31 344 631019
Fax +31 344 627856
www.waldmann.com
info-nl@waldmann.com

AUSTRIA

Waldmann Lichttechnik Ges.m.b.H.
Gewerbepark Wagram 7
4061 PASCHING/LINZ
AUSTRIA
Telephone +43 7229 67400
Fax +43 7229 67444
www.waldmann.com
info-at@waldmann.com

SCANDINAVIA

Waldmann Ljusteknik AB
Skebokvarnsvägen 370
124 50 BANDHAGEN
SWEDEN
Telephone +46 8 990 350
Fax +46 8 991 609
www.waldmann.com
info-se@waldmann.com

SWITZERLAND

Waldmann Lichttechnik GmbH
Benkenstrasse 57
5024 KÜTTIGEN
SWITZERLAND
Telephone +41 62 839 1212
Fax +41 62 839 1299
www.waldmann.com
info-ch@waldmann.com

USA

Waldmann Lighting Company
9 W. Century Drive
WHEELING, ILLINOIS 60090
USA
Telephone +1 847 520 1060
Fax +1 847 520 1730
www.waldmannlighting.com
waldmann@waldmannlighting.com

CHINA

Waldmann Lighting (Shanghai) Co., Ltd.
Part A11a, No. Five Normative Workshop
199 Changjian Road, Baoshan
SHANGHAI, P.R.C. 200949
CHINA
Telephone +86 21 5169 1799
Fax +86 21 3385 0032
www.waldmann.com.cn
info-cn@waldmann.com

SINGAPORE

Waldmann Lighting Singapore Pte. Ltd. 77A
Neil Road
SINGAPORE 088903
SINGAPORE
Telephone +65 6275 8300
Fax +65 6275 8377
www.waldmann.com
sales-sg@waldmann.com

List of references

The images in this brochure originate from the following providers:
Title: shutterstock
Page 4-5: shutterstock
Page 8: alamy stockphotos, masterfile, istockphoto, unsplash, deposit
Page 9: 123rf.com
Product and reference photos from Jerry Gross Fotostudio AG, Switzerland. All other photos and graphics originate from Derungs Licht AG and the Waldmann Group.



SWISS MEDTECH
Member



Center of Expertise for Care & Health:

DERUNGS LICHT AG

Hofmattstrasse 12
9200 Gossau
Switzerland
Phone +41 71 388 11 66
Fax +41 71 388 11 77
www.derungslicht.com
mailbox@derungslicht.com

Derungs Licht AG is a member of the
Waldmann Group.